

JIB CRANE

360 WITH MOTORISED TROLLEY



DESIGN FEATURES

500 KG WORKING LOAD LIMIT

THIS CRANE IS CAPABLE OF HANDLING LOADS UP TO 500 KG.

MOTORIZED CHAIN HOIST

EQUIPPED WITH A MOTORIZED CHAIN HOIST, THE CRANE PROVIDES EFFICIENT AND EFFORTLESS LIFTING.

2 SPEED HOIST MOTOR


THE CRANE FEATURES A TWO-SPEED HOIST MOTOR, OFFERING VERSATILITY IN OPERATION.

EASY TO OPERATE

DESIGNED WITH USER-FRIENDLINESS IN MIND, THE FARNESE JIB CRANE 360 IS STRAIGHTFORWARD TO OPERATE.

JIB CRANE 360

FEATURES



Founded in 2000 by the Farnese family, Farnese Australia are designers and manufacturers of stone cutting and polishing machinery in Australia. With an international reputation and decades of combined professional experience, and expertise, in both the stone industry and the local stone machinery manufacturing industry, Farnese are the first choice for stone fabricators. They continue to dominate this field in Australia and overseas with precision and innovation.

The JIB CRANE 360 is one of the most important elements in any workshop. It is designed to be bolted directly to the ground thanks to a large base plate. This base plate is anchored to the ground by bolts which are chemically set to a levelled concrete floor which must be at least 150mm in thickness.

The JIB CRANE 360 is fitted with a motorized chain hoist; the two speed motor enables the operator to manoeuvre the hoist with ease and accuracy in an up down motion.



FEATURES



500 KG WORKING LOAD LIMIT

This crane is capable of handling loads up to 500 kg, making it suitable for a wide range of heavy lifting tasks. Its robust construction ensures safety and reliability when dealing with substantial weights.

MOTORIZED CHAIN HOIST

Equipped with a motorized chain hoist, the crane provides efficient and effortless lifting. The motorized system reduces manual labor and increases productivity, allowing for smooth and controlled lifting operations.



2 SPEED HOIST MOTOR

The crane features a two-speed hoist motor, offering versatility in operation. The dual-speed settings enable precise control over lifting speeds, accommodating both delicate and rapid lifting requirements.

EASY TO OPERATE

Designed with user-friendliness in mind, the Farnese Jib Crane 360 is straightforward to operate. Its intuitive controls and ergonomic design ensure that operators can use the crane with minimal training, enhancing overall efficiency and reducing the risk of operational errors.

TECHNICAL SPECIFICATIONS

Dimensions of Installed Machine

Metric

Length	7300 MM
Width	1100 MM
Height	4000 MM
Weight	900 KG
Load	500 KG

Equipment Ranges

Arm Range	6765 MM
Arm Range	1050 MM
First Joint	0 - 360°
Hoist With Wired Pendant Controller	YES

Power Required

400V 3PH 50Hz

10A - No Neutral


Connections Required (Supplied By Customer) -

Power


NB- Vacuum Lifter Shown For Illustration Purposes

Only

Farnese Does Not Supply Bolts And Chemical Sets





BASE PLATE ASSEMBLY



CAGE ASSEMBLY

TECHNICAL SPECIFICATIONS



We Know That Support Is Important To You.

Buying a new machine is a big commitment for anyone and continued support throughout the life of that machine is vital.

Being a local company, Farnese carry a vast array of parts locally to ensure that your machine always has the spares it needs. Enjoy peace of mind knowing that you'll be fully supported by Farnese and we'll always have you covered.

Farnese customers don't need to experience unnecessary machinery downtime waiting for remote assistance from other countries, as all the support and remote assistance is provided locally from our own qualified Technicians.

Our mission here at Farnese is to give you the best support in the industry. As we grow, we continue to recruit more and more qualified technicians to further strengthen our position in the Stone Industry.

